




SZM



**ADD
WINGS
TO YOUR
WORK**





SZM

KEY STRENGTHS



CONSTRUCTION QUALITY



EFFICIENCY



ADAPTABILITY



SAFETY


MAIN FEATURES

Technical Features

Weight (kg)	1050
Dimensions (mm)	3000 x 900 x 400
Cable diameter (mm)	From 8 to 30

Performance

Tensile force (kN)	Up to 300
--------------------	-----------



Areas of application



CONSTRUCTION



FORESTRY



SZM

KEY STRENGTHS



CONSTRUCTION QUALITY




EFFICIENCY



ADAPTABILITY



SAFETY



TRANSPORT

Easy to transport, including by helicopter, enabling use in hard-to-reach areas

VERSATILITY

Compatible with ropes ranging from Ø 8 mm to Ø 30 mm

AUTOMATIC TENSION CONTROL

Continuous control enables automatic and precise tensioning up to the desired value

SAFETY

Clamp automatically closes when the desired force is reached, ensuring safety



Transport by Rope - design, production, sale and rental of ropeways, winches and cable cranes

Seik Srl
Via Dolomiti 46
I - 39040 Trodena (BZ)
Tel. +39 0471 887 087
E-Mail: info@seik.it
www.seik.it

